

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (as indicated on label)
FINISH LINE

PRODUCT CODE
TEX

Section 1 Company Identification

Distributor's Name jRocco Hair Care	Emergency Telephone Number (908) 507-5300
Address (Number, Street, City, State, and ZIP Code) 1705 ROSEMARY DRIVE CASTLE ROCK, CO 80109	Telephone Number International (Collect Calls Accepted) (908) 507-2782 Date Prepared : 3/5/2010

Section 2 Hazardous Ingredients/Identity Information

Hazardous Components [Specific Chemical Identity; Common Name(s)]	CAS Number	% Wt./ Wt.	OSHA PEL	ACGIH TLV
Alcohol Denat.	64-17-5	51%	N/E	N/E

N/E = Not Established

Section 3 Hazards Identification

EMERGENCY OVERVIEW Type of Hazard: Flammable Liquid

POTENTIAL HEALTH EFFECTS

Inhalation: In case of excessive over exposure to vapor, remove to fresh air and allow to rest until respiration is normal

Skin Contact: In rare cases may cause skin irritation or redness

Eye Contact: May cause eye irritation

Ingestion: If taken internally will cause serious consequences to health.

Chronic Effects and Medical Conditions Aggravated By Overexposure: Headache, nervousness, fatigue, nausea.

Section 4 First Aid Measures

INHALATION: If vapors or fumes cause irritation, remove victim to fresh air and allow to rest until respiration is normal. If irritation persists seek medical attention

SKIN: Flush with copious amounts of water. If irritation persists, seek medical attention

EYES: Flush with copious amounts of water or 15 minutes. If irritation persists, seek medical attention

INGESTION: Do not ingest. Rinse mouth with water. Give up to ½ pint of milk or water. Seek medical attention immediately

Section 5 Fire Fighting Measures

MATERIAL SAFETY DATA SHEET (MSDS)

FLAMMABILITY CLASSIFICATION: Flammable liquid 2 FLASH POINT: 72° F

UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable liquid

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers with water spray.

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (*as indicated on label*)
Texture Spray/ Finishing Spritz

PRODUCT CODE

Section 6 Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Warning- flammable – Eliminate all ignition sources. Handling equipment must be grounded to prevent sparking. ***Large Spills*** evacuate hazard area of unprotected personnel. Wear appropriate respirator and protective clothing. Shut off source of leak if safe to do so. Dike and contain. If vapor cloud forms, water fog may be used to suppress. Contain run-off. Remove with vacuum trucks or pump to storage or salvage vessels. Soak up residue with absorbent material. Place in non-leaking containers for appropriate disposal. Flush area with water to remove trace residue. Dispose of flush solution with above. ***Small Spills*** take up with absorbent materials and place in non-leaking containers: seal tightly for proper disposal.

DISPOSAL METHOD: Incinerate or bury in a licensed facility according to Federal, State and local regulations. Do not discharge into waterways or sewer systems without proper authority.

Section 7 Handling and Storage

USAGE PRECAUTIONS : Avoid high temperatures. Keep away from heat, flames or sparks.

STORAGE PRECAUTIONS : Avoid high temperatures. Store in suitable tightly sealed containers at room temperature.

OTHER PRECAUTIONS: N/A

Section 8 Exposure Controls and Personal Protection

ENGINEERING CONTROL : Flammable. Keep from excessive heat or flames.

RESPIRATION CONTROL : Not required under normal use conditions.

PROTECTIVE GLOVES : Optional (rubber or oil resistant.)

EYE AND FACE PROTECTION : Safety glasses

HYGENIC WORK PRACTICES : Follow normal good housekeeping practices.

Section 9 Physical and Chemical Properties

BOILING RANGE: N/D	VAPOR DENSITY: <u> x </u> HEAVIER <u> </u> LIGHTER, THAN AIR (= 1)	
PERCENT VOLATILE PER VOLUME: Approx. 58%	EVAPORATION RATE: <u> </u> FASTER <u> x </u> SLOWER, THAN ETHER	
pH: N/A	WEIGHT PER GALLON: 7.0 – 7.1 (H ₂ O=1)	SPECIFIC GRAVITY: 0.84 – 0.85 (H ₂ O=1)
SOLUBILITY IN WATER: Soluble		Flash Point : 72°F

APPEARANCE: Clear, off-yellow, water-thin liquid
ODOR: Characteristic, fruity
TASTE: Bitter

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (as indicated on label)
Texture Spray/ Finishing Spritz

PRODUCT CODE

Section 10 Stability and Reactivity

STABILITY	<input type="checkbox"/> Unstable <input checked="" type="checkbox"/> Stable	HAZARDOUS POLYMERIZATION	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur
-----------	---	--------------------------	--

INCOMPATIBILITY (Materials to Avoid)

Heat, fire, ignition sources

HAZARDOUS DECOMPOSITION PRODUCTS:

May emit acrid smoke or flames

CONDITIONS TO AVOID:

Extreme hot and freezing temperatures, open flames

Section 11 Toxicological Information

HEALTH WARNINGS: Overexposure can cause eye & respiratory tract irritation. Possible drowsiness above 1000 ppm. Prolonged high concentration exposure may result in headache, tremors and fatigue.

Section 12 Ecological Information

Note: Avoid uncontrolled release of this material in the environment. Observe proper wastes management according to Federal, State and Local regulations.

Section 13 Disposal Considerations

Dispose of according to Federal State and Local regulations. Do not discharge into waterways or sewer systems without proper authorities.

Section 14 Transport Information

Agency Status	Shipping Name	Class	ID#	Packing Group
DOT (USA)	Regulated as Flammable Liquid			Flammable Liquid/ Combustible Liquid

ORM-D Consumer Commodity

IMDG (Vessel)	Regulated as Flammable Liquid	Flammable Liquid/ Combustible Liquid
---------------	-------------------------------	--------------------------------------

UN1993

IATA (Air)	Regulated as Flammable Liquid	Flammable Liquid/ Combustible Liquid
------------	-------------------------------	--------------------------------------

ORM-D Air Consumer Commodity

DOT requires **ORM-D** Consumer Commodity Markings

Section 15 Regulatory Information

MATERIAL SAFETY DATA SHEET (MSDS)

TSCA:

CAS# 3734-33-6 is listed on the TSCA inventory
CAS# 64-17-5 is listed on the TSCA inventory
CAS# 75-65-0 is listed on the TSCA inventory
Health & Safety Reporting List
NONE
Chemical Test Rules
NONE
Section 12b
NONE
TSCA Significant New Use Rule
NONE

CERCLA:

Section 103
NONE

Clean Air Act

Hazardous Air Pollutants
NONE
Class 1 Ozone Depletors
NONE
Class 2 Ozone Depletors
NONE

PRODUCT IDENTITY (as indicated on label)**Thermal Styling Spray****PRODUCT CODE****HA16401****EPCRA:**

Section 302
NONE
Section 304
NONE

Clean Water Act

Hazardous Substances
NONE
Priority Pollutants
NONE
Toxic Pollutants
NONE

SARA Codes

CAS# 64-17-5: acute, chronic, flammable
CAS# 75-65-0: acute. Flammable
Section 313
CAS# 75-65-0 is subject to the reporting requirements of
Section 313 of SARA Title III and 40 CFR Part 373.

OTHER: Volatile Organic Compounds: Ethyl Alcohol – 51% (W/W)

Section 16 Other Information

HAZARD RATING: Health = **2** ; Flammability = **3** ; Reactivity = **0**
0=Minimal 1=Slight 2=Moderate 3=Serious 4=severe
REVISION DATE : Original

DISCLAIMER : This MSDS is designed to provide information and guidance in regards to the use of this product. It is not intended as all-information guideline on a worldwide hazard communication regulations. To the best of our knowledge, all sections comply with applicable local, state and national MSDS/Hazard Communication Regulations.

This information is furnished without any guarantee. The user of this product needs to understand the conditions of use and must follow directions on the labels provided. Our Company assumes no legal responsibility as a result of misusing this product.